Splint

218 Industrial Park Road • Park Rapids, MN 56470
Phone: 800.346.0011 • Fax: 800.346.0011
www.northstarorthodontics.com
info@northstarorthodontics.com

Date Sent (Impression date) ☐☐ ☐☐ ☐☐

Date Due (2 days prior to appt.) ☐☐ ☐☐ ☐☐

Doctor: _____
Address: _____
City: _____ State: _____ Zip: _____
Phone: _____ Fax: _____
Email: _____

Patient First Name

Patient Last Name

☐ Please call about this case prior to fabrication.
☐ Enroll this case in Appliance Protection (Additional fee).
☐ Please make this design a MyWay™ (Representative will call).
MyWay™ # ☐☐☐

Bite Registration
☐ Approved for use as-is
☐ Call if questions

Clasps
☐ Ball
☐ Adams
☐ Arrow
☐ "C"

Palate
☐ Full
☐ Horseshoe
☐ Extreme Horseshoe

Material
☐ Standard
☐ Talon®

Which bite registration/models are required? (See product name for code letter)
(A): opposing model & centric bite opened 2-3mm in posterior
(B): bite w/mandible positioned to anterior, typically end-to-end
(C): no opposing model or bite required
(D): opposing model only - bite not necessary

☐ U ☐ L
Full Coverage, Flat Plane (C)
Trimmed to a flat plane for even thickness. Ball clasps may be added for retention.

☐ U ☐ L
Full Coverage, Full Contact (A)
Indents create full concentric stops. Ball clasps may be added for retention. The appliance will be created exactly to the bite registration provided unless otherwise indicated.

☐ U ☐ L
Repositioning (B)
An incline plane is extended in the anterior to guide the mandible into a pre-determined advanced position.

☐ U ☐ L
Minimal Coverage (C)
A full-coverage splint that is completed chairside for maximum cuspal interdigitation. The occlusal surface is of minimal thickness and is left unpolished to be ready for application of your own cold cure acrylic.

☐ L
Gelb - Mora (C)
Fits lower arch with an anterior lingual bar that maximizes tongue space. 'Ball' clasps are placed in the posterior coverage pads for retention.

☐ L
Spahl - F.A.C.T. - Pull-Forward (B)
Designed like the Gelb with the addition of maxillary cusp interdigitation to your pre-determined bite.

☐ L
Stack (A)
High lingual walls are added to each side of this mandibular repositioning splint to prevent lateral excursion and to maintain the forward position dictated by the working bite registration.

☐ L
Witzig (B)
High buccal and lingual walls are added to this mandibular repositioning splint. Deep occlusal indentations maintain hinge-axis occlusion. No anterior acrylic. Denar articulator recommeded by Witzig for precise positioning of the condyle.

☐ L
Pivot - Mayes - Sears (B)
Mandibular repositioning splint has added acrylic over the lingual bar to minimize labial tipping of anteriors. Contacts upper arch at mesial lingual cusp of first molars.

☐ U
Maxillary Mini - Mini Deprogrammer (B)
Covers only the six upper anterior teeth. Lower centrals and laterals contact the bite plane. Ramp may be added for guidance.

☐ U ☐ L
Soft Protective (C)
Light-weight version of our Athletic Mouthguard. Pressure formed acrylic adapts well to tooth structure. Cannot be adjusted chairside.

☐ U ☐ L
Soft Posterior (C)
Same as our soft protective splint except the anterior occlusal and facial surfaces are removed. Cannot be adjusted chairside.

☐ U ☐ L
Soft/Hard Combination (C)
Full coverage with soft inner lining for minimal adjustment and hard outer shell for stability. Withstands clenching and strong muscle contractions. Cannot be adjusted chairside.

2mm 3mm

☐ U ☐ L
Soft/Hard Combination w/Acrylic Bite Block (A)
Same as Soft/Hard above but with addition of a bite block. Only the bite block can be adjusted chairside.

☐ U ☐ L
Design your Own / Special Instructions
Please draw and describe the splint you desire.
Include a suitable bite registration.



Lab Use Only: BBP? ☐

Please Send:
☐ Boxes
☐ Color Chart
☐ Foam
☐ Imp. Bags
☐ Labels
☐ Product Catalog

Rx (Select Types):
☐ Arch Development
☐ Digital
☐ Finishing/Aligning
☐ Functional
☐ Habit
☐ Health/Safety
☐ Herbst®
☐ Most Requested
☐ Retention
☐ Space Maintenance
☐ Splint
☐ Study Model

License #: _____

Signature: _____

IMPORTANT: Prescription not valid without license # and signature.

FM4-4.3-203-003-002 (04/2017)
© 2017 NorthStar Orthodontics, Inc. All Rights Reserved